



ศูนย์บริการโลหิตแห่งชาติ  
สภากาชาดไทย

# NATIONAL BLOOD CENTRE, THAI RED CROSS SOCIETY

## CERTIFICATE OF ANALYSIS

**Product:** Anti-D (IgM/IgG)

**Lot No.** 67022

**Source of Material:** Monoclonal antibody

**Mfg. Date** 30 APR 24

**Volume** 10 mL

**Exp. Date** 30 OCT 25

Test Items	Specifications	Results
1. Appearance	Clear liquid No turbidity, precipitate, particle or gel formation	Complied
2. Label	Complete, Correct and Clear	Complied
3. pH	6.50 - 7.50	Complied
4. Titer (RT, 37 °C, IAT)	R <sub>1</sub> r cell ≥ 1:64	Complied
5. Specificity test		Complied
- RT	R <sub>1</sub> r cell ≥ 3+ R <sub>2</sub> r cell ≥ 3+	
- RT, 37 °C, IAT	rr cell = Negative r'r cell = Negative r''r cell = Negative	
6. Avidity test	R <sub>1</sub> r cell ≤ 60 sec Rh+ cell ≤ 60 sec	Complied
7. Microbial enumeration	NMT 1.0 CFU/mL	Complied

Narumon Worachun

Date 04/07/2024

(Narumon Worachun)

Quality Assurance and Quality Control Manager

National Blood Centre, Thai Red Cross Society